



Grace Care series

D8d

MULTIFUNCTIONAL ELECTRIC BED

Registration code: SKD-C




SAIKANG / Medical

Healthier
your life

D8d

FEATURES AND HIGHLIGHTS



Technical parameters

▪ External size (LxW):	2280x1090 mm
▪ Mattress platform:	1925x900 mm
▪ Safe working load:	250 kg
▪ Height adjustment:	435-725 mm
▪ Back-rest adjustment:	0-75° (±10°)
▪ Knee-rest adjustment:	0-35° (±10°)
▪ Reverse Trendelenburg:	0-12°
▪ Trendelenburg:	0-12°
▪ Angle indicator:	0-90°
▪ Voltage and frequency:	100-240 V · 50/60 Hz
▪ Plug as required (hospital grade)	



Technical configuration

<input checked="" type="checkbox"/> Manual CPR	
<input checked="" type="checkbox"/> One button stop	
<input checked="" type="checkbox"/> One button trendelenburg	
<input checked="" type="checkbox"/> Nurse lock system	
<input checked="" type="checkbox"/> Angle indicator for back-rest and Trendelenburg position	4 pcs.
<input checked="" type="checkbox"/> Linear motor	4 pcs.
<input checked="" type="checkbox"/> 5" double side castors with central locking system	4 pcs.
<input checked="" type="checkbox"/> ABS side rail with integrated control panel	1 set
<input checked="" type="checkbox"/> ABS bed ends with integrated LCD control panel	1 set
<input checked="" type="checkbox"/> φ85 mm wall bumper wheel	4 pcs.
<input checked="" type="checkbox"/> Trapeze socket	2 pcs.
<input checked="" type="checkbox"/> IV pole	1 set
<input checked="" type="checkbox"/> IV pole prevision	4 pcs.
<input checked="" type="checkbox"/> Drainage hook	2 pcs.
<input checked="" type="checkbox"/> Central locking pedal	2 pcs.

Optional

<input type="checkbox"/> Electrical CPR	
<input type="checkbox"/> Weighing system with LCD Screen	
<input type="checkbox"/> Bed extension	
<input type="checkbox"/> Back-up battery	
<input type="checkbox"/> Cardiac position	
<input type="checkbox"/> ABS bed surface	
<input type="checkbox"/> X-ray bed surface	
<input type="checkbox"/> Monkey pole	
<input type="checkbox"/> Balkan traction frame	
<input type="checkbox"/> Directional wheel	
<input type="checkbox"/> Basic foam mattress (12 cm thickness)	
<input type="checkbox"/> Anti-decubitus foam mattress (14 cm thickness)	
<input type="checkbox"/> Vertical oxygen holder	
<input type="checkbox"/> Single arm lifting pole	
<input type="checkbox"/> Utility shelf	

Head and Foot Board

Extra long and height head foot board, with curve surrounded design, provide comforting feeling for patients.

**Bed Surface**

Stamping forming platform, smooth surface no welding scar, bearing 250 kg load. Option ABS platform and resin X-ray translucent platform.

**Welding | Chassis**

Panasonic robotic ensure, 360° full smooth welding. Solid bed base made of 5.0 mm stamped rotating plate.

**Electric Motor**

Linear motor, with UL/ROHS/EN standard. Noise under 50 dB, with lifetime 20,000 times movement.

**Steels | Painting**

Baosteel from Fortune Global 500. 11 Process epoxy painting, ASTM testing anti-bacterial, paint thickness 0.12 mm, brightness 60°, paint can resist 50 kg impact.

**Virgin ABS**

Environmental plastic can be sterilized in 100°C, tensile upto 30MPa.

**LCD**

Unique design head foot board with built-in controller. 3.5 inch LCD display, shows moving angle. Button can endure 100,000 times press.

**Side Rail**

Tuck away side rail with buffer, built-in controller and angle indicator.

**Wheels**


TPR tire no worn out after running 30 km, save anti-winding hard shell, united forming without bolts. Pass dynamic test: Bearing 120 kg, run 30 km and pass obstacles 500 time.

**Durable Brakes**

Break spring keep qualified after 10,000 times uninteruped break.

**Angle Indicator**

Patented angle indicator.

**Bumper Wheels**

Patented bumper wheel detachable, max. protect the bed and patient during transportation.

**Safety**

IEC60601 Safty Standard.

**Drainage Hooks**

Mobile plastic drainage hooks.


**IV pole**

Stainless Steel Column with plastic hook.

**Optional**

Battery: 18 times movement with 100 kg bearing, 130 times movement without bearing. Nurse control board. Storage rack under foot board drawer. Store controll board or linens. Utility basket: big size 600x540x80 mm.









CONSTANT INNOVATION



Design



Research



Manufacturing



Maintenance



Service



WORLDWIDE BRANCHES

South America Branch

Saikang Medical Technology, Inc
W3400 Corrientes, Argentina
TEL: +55 (11) 2758-0438
Rua Universal, Hollywood,
São Bernardo do Campo,
Brazil
TEL: +55 (11) 2758-0438

East Africa Branch

Saikang Medical Technology Ltd
Mezzanine Floor, Taj Tower,
upper hill, nairobi, Kenya
TEL: +254714084806

South East Asia Branch

Saikang Medical Technology Ltd
Sala Thammasop Subdistrict
Thawi
Watthana District
Bangkok Thailand
TEL: +66 642741046

UK Branch

Uk Healthward International Limited
DEPT 111,
196 High Road Wood Green,
London, N22 8HH
United Kingdom
TEL: +31 (0) 202111106

Russia Branch

LLC 'SAIKANG'
454004, Russian Federation,
Chelyabinsk,
Universitetskaya Naberezhnaya,
Russia
TEL: +7 (919)300-00-06

Mid East Branch

Saikang Medical Supplies (Mid East) LLC
Musaffah
P.O Box 53200, Abu Dhabi,
UAE
Tel: +971 585710652

SAIKANG / Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

📍 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

☎ +86 18021231901 · 🕒 24/7

✉ export@saikangmedical.com

🌐 www.saikangmedical.com



Company video



General catalogue